



QUARRY ORIGIN

Quarried in Manistique, Onaway and Alpena, Michigan. Cut and processed at our mill in Howard City, Michigan.

APPLICATION

Exterior and interior veneer. Available in thin veneer and full-bed depth, with corners.

ALSO CUT AS

Beach Blend Field Ledge
Beach Blend Ledge

Please note: the beauty of natural stone is in its variety and range of color. Small pictures and samples are not fully representative. We do not recommend making a selection based on pictures alone — request a physical sample.

ASHLAR CUT

Beach Blend

STONE TYPE	Dolomite Limestone	
COLOR	90% various shades of gray, 10% various shades of white, cream and buff. Stone is sourced from three quarries.	
HEIGHT	4-8 inches (average of 6 inches)	
LENGTH	6-20 inches (average of 12 inches)	
NOMINAL THICKNESS	THIN VENEER	.5-1.5 inches
	FULL BED	3.5-4.5 inches
APPROX. COVERAGE	THIN VENEER	10-14 pounds/square foot
	FULL BED	35-40 square feet/ton
CORNER RETURNS	Varies in length of return, minimum of 3 inches	

TYPICAL PIECE

Rough-cut stone with a natural cleft top and bottom. Face of stone is a mixture of split, bed and seam face. Ends are random and not trimmed. Backs are sawn for thin veneer. Full-bed depth is split to thickness.

Hold it before you decide.

Request a physical sample of this blend and cut.

(616) 835-5289 · [THESTONEMILLINC.COM/CONTACT](https://www.thestonemillinc.com/contact)

THE STONE MILL INC.

20315 W. Edgar Rd, Howard City, Michigan 49329
(616) 835-5289 · [thestonemillinc.com](https://www.thestonemillinc.com)

BEACH BLEND · ASHLAR

Issued August 2026 · supersedes all prior sheets
Data subject to natural variation



QUARRY ORIGIN

Quarried in Manistique, Onaway and Alpena, Michigan. Cut and processed at our mill in Howard City, Michigan.

APPLICATION

Exterior and interior veneer. Available in thin veneer and full-bed depth, with corners.

ALSO CUT AS

Beach Blend Ashlar
Beach Blend Ledge

Please note: the beauty of natural stone is in its variety and range of color. Small pictures and samples are not fully representative. We do not recommend making a selection based on pictures alone — request a physical sample.

FIELD LEDGE CUT

Beach Blend

STONE TYPE	Dolomite Limestone	
COLOR	90% various shades of gray, 10% various shades of white, cream and buff. Stone is sourced from three quarries.	
HEIGHT	1-8 inches (average of 5 inches)	
LENGTH	6-20 inches (average of 12 inches)	
NOMINAL THICKNESS	THIN VENEER	.5-1.5 inches
	FULL BED	3.5-4.5 inches
APPROX. COVERAGE	THIN VENEER	10-14 pounds/square foot
	FULL BED	35-40 square feet/ton
CORNER RETURNS	Varies in length of return, minimum of 3 inches	

TYPICAL PIECE

Rough-cut stone with a natural cleft top and bottom. Face of stone is a mixture of split, bed and seam face. Ends are random and not trimmed. Approximately 20% irregular (non-linear) shapes. Backs are sawn for thin veneer. Full-bed depth is split to thickness.

Hold it before you decide.

Request a physical sample of this blend and cut.

(616) 835-5289 · [THESTONEMILLINC.COM/CONTACT](https://www.thestonemillinc.com/contact)

THE STONE MILL INC.

20315 W. Edgar Rd, Howard City, Michigan 49329
(616) 835-5289 · [thestonemillinc.com](https://www.thestonemillinc.com)

BEACH BLEND · FIELD LEDGE

Issued August 2026 · supersedes all prior sheets
Data subject to natural variation



QUARRY ORIGIN

Quarried in Manistique, Onaway and Alpena, Michigan. Cut and processed at our mill in Howard City, Michigan.

APPLICATION

Exterior and interior veneer. Available in thin veneer and full-bed depth, with corners.

ALSO CUT AS

Beach Blend Ashlar
Beach Blend Field Ledge

Please note: the beauty of natural stone is in its variety and range of color. Small pictures and samples are not fully representative. We do not recommend making a selection based on pictures alone — request a physical sample.

LEDGE CUT

Beach Blend

STONE TYPE	Dolomite Limestone	
COLOR	90% various shades of gray, 10% various shades of white, cream and buff. Stone is sourced from three quarries.	
HEIGHT	1-4 inches (average of 3 inches)	
LENGTH	6-20 inches (average of 12 inches)	
NOMINAL THICKNESS	THIN VENEER	.5-1.5 inches
	FULL BED	3.5-4.5 inches
APPROX. COVERAGE	THIN VENEER	10-14 pounds/square foot
	FULL BED	35-40 square feet/ton
CORNER RETURNS	Varies in length of return, minimum of 3 inches	

TYPICAL PIECE

Rough-cut stone with a natural cleft top and bottom. Face of stone is a mixture of split, bed and seam face. Ends are random and not trimmed. Backs are sawn for thin veneer. Full-bed depth is split to thickness.

Hold it before you decide.

Request a physical sample of this blend and cut.

(616) 835-5289 · [THESTONEMILLINC.COM/CONTACT](https://www.thestonemillinc.com/contact)

THE STONE MILL INC.

20315 W. Edgar Rd, Howard City, Michigan 49329
(616) 835-5289 · [thestonemillinc.com](https://www.thestonemillinc.com)

BEACH BLEND · LEDGE

Issued August 2026 · supersedes all prior sheets
Data subject to natural variation



QUARRY ORIGIN

Quarried in Onaway, Michigan. Cut and processed at our mill in Howard City, Michigan.

APPLICATION

Exterior and interior veneer. Available in thin veneer and full-bed depth, with corners.

ALSO CUT AS

Black River Field Ledge
Black River Ledge

Please note: the beauty of natural stone is in its variety and range of color. Small pictures and samples are not fully representative. We do not recommend making a selection based on pictures alone — request a physical sample.

ASHLAR CUT

Black River

STONE TYPE	Dolomite Limestone	
COLOR	Various shades of gray with some warmer tones of buff	
HEIGHT	4-10 inches (average of 6 inches)	
LENGTH	6-20 inches (average of 12 inches)	
NOMINAL THICKNESS	THIN VENEER	.5-1.5 inches
	FULL BED	3.5-4.5 inches
APPROX. COVERAGE	THIN VENEER	10-14 pounds/square foot
	FULL BED	35-40 square feet/ton
CORNER RETURNS	Varies in length of return, minimum of 3 inches	

TYPICAL PIECE

Rough-cut stone with a natural cleft top and bottom. Face of stone is a mixture of split and seam face. Ends are random and not trimmed. Backs are sawn for thin veneer. Full-bed will be split to range of depth.

Hold it before you decide.

Request a physical sample of this blend and cut.

(616) 835-5289 · [THESTONEMILLINC.COM/CONTACT](https://www.thestonemillinc.com/contact)

THE STONE MILL INC.

20315 W. Edgar Rd, Howard City, Michigan 49329
(616) 835-5289 · [thestonemillinc.com](https://www.thestonemillinc.com)

BLACK RIVER · ASHLAR

Issued August 2026 · supersedes all prior sheets
Data subject to natural variation



QUARRY ORIGIN

Quarried in Onaway, Michigan. Cut and processed at our mill in Howard City, Michigan.

APPLICATION

Exterior and interior veneer. Available in thin veneer and full-bed depth, with corners.

ALSO CUT AS

Black River Ashlar
Black River Ledge

Please note: the beauty of natural stone is in its variety and range of color. Small pictures and samples are not fully representative. We do not recommend making a selection based on pictures alone — request a physical sample.

FIELD LEDGE CUT

Black River

STONE TYPE	Dolomite Limestone	
COLOR	Various shades of gray with some warmer tones of buff	
HEIGHT	4-10 inches (average of 6 inches)	
LENGTH	6-20 inches (average of 12 inches)	
NOMINAL THICKNESS	THIN VENEER	.5-1.5 inches
	FULL BED	3.5-4.5 inches
APPROX. COVERAGE	THIN VENEER	10-14 pounds/square foot
	FULL BED	35-40 square feet/ton
CORNER RETURNS	Varies in length of return, minimum of 3 inches	

TYPICAL PIECE

Rough-cut stone with a natural cleft top and bottom. Face of stone is a mixture of split and seam face. Ends are random and not trimmed. Backs are sawn for thin veneer. Full-bed will be split to range of depth. Field Ledge will have approximately 10-20 percent of irregular (non-linear) shaped stone.

Hold it before you decide.

Request a physical sample of this blend and cut.

(616) 835-5289 · [THESTONEMILLINC.COM/CONTACT](https://www.thestonemillinc.com/contact)

THE STONE MILL INC.

20315 W. Edgar Rd, Howard City, Michigan 49329
(616) 835-5289 · [thestonemillinc.com](https://www.thestonemillinc.com)

BLACK RIVER · FIELD LEDGE

Issued August 2026 · supersedes all prior sheets
Data subject to natural variation



QUARRY ORIGIN

Quarried in Onaway, Michigan. Cut and processed at our mill in Howard City, Michigan.

APPLICATION

Exterior and interior veneer. Available in thin veneer and full-bed depth, with corners.

ALSO CUT AS

Black River Ashlar
Black River Field Ledge

Please note: the beauty of natural stone is in its variety and range of color. Small pictures and samples are not fully representative. We do not recommend making a selection based on pictures alone — request a physical sample.

LEDGE CUT

Black River

STONE TYPE	Dolomite Limestone	
COLOR	Various shades of gray with some warmer tones of buff	
HEIGHT	1-4 inches (average of 3 inches)	
LENGTH	6-20 inches (average of 12 inches)	
NOMINAL THICKNESS	THIN VENEER	.5-1.5 inches
	FULL BED	3.5-4.5 inches
APPROX. COVERAGE	THIN VENEER	10-14 pounds/square foot
	FULL BED	35-40 square feet/ton
CORNER RETURNS	Varies in length of return, minimum of 3 inches	

TYPICAL PIECE

Rough-cut stone with a natural cleft top and bottom. Face of stone is a mixture of split and seam face. Ends are random and not trimmed. Backs are sawn for thin veneer. Full-bed will be split to range of depth.

Hold it before you decide.

Request a physical sample of this blend and cut.

(616) 835-5289 · [THESTONEMILLINC.COM/CONTACT](https://www.thestonemillinc.com/contact)

THE STONE MILL INC.

20315 W. Edgar Rd, Howard City, Michigan 49329
(616) 835-5289 · [thestonemillinc.com](https://www.thestonemillinc.com)

BLACK RIVER · LEDGE

Issued August 2026 · supersedes all prior sheets
Data subject to natural variation



QUARRY ORIGIN

Quarried in Manistique and Onaway, Michigan. Cut and processed at our mill in Howard City, Michigan.

APPLICATION

Exterior and interior veneer. Available in thin veneer and full-bed depth, with corners.

ALSO CUT AS

Copper Point Ledge

Please note: the beauty of natural stone is in its variety and range of color. Small pictures and samples are not fully representative. We do not recommend making a selection based on pictures alone — request a physical sample.

ASHLAR CUT

Copper Point

STONE TYPE	Dolomite Limestone	
COLOR	30% various shades of gray, 70% various shades of white, cream and buff. Stone is sourced from two quarries.	
HEIGHT	4-8 inches (average of 6 inches)	
LENGTH	6-20 inches (average of 12 inches)	
NOMINAL THICKNESS	THIN VENEER	.5-1.5 inches
	FULL BED	3.5-4.5 inches
APPROX. COVERAGE	THIN VENEER	10-14 pounds/square foot
	FULL BED	35-40 square feet/ton
CORNER RETURNS	Varies in length of return, minimum of 3 inches	

TYPICAL PIECE

Rough-cut stone with a natural cleft top and bottom. Face of stone is a mixture of split, bed and seam face. Ends are random and not trimmed. Backs are sawn for thin veneer. Full-bed depth is split to thickness.

Hold it before you decide.

Request a physical sample of this blend and cut.

(616) 835-5289 · [THESTONEMILLINC.COM/CONTACT](https://www.thestonemillinc.com/contact)

THE STONE MILL INC.

20315 W. Edgar Rd, Howard City, Michigan 49329
(616) 835-5289 · [thestonemillinc.com](https://www.thestonemillinc.com)

COPPER POINT · ASHLAR

Issued August 2026 · supersedes all prior sheets
Data subject to natural variation



QUARRY ORIGIN

Quarried in Manistique and Onaway, Michigan. Cut and processed at our mill in Howard City, Michigan.

APPLICATION

Exterior and interior veneer. Available in thin veneer and full-bed depth, with corners.

ALSO CUT AS

Copper Point Ashlar

Please note: the beauty of natural stone is in its variety and range of color. Small pictures and samples are not fully representative. We do not recommend making a selection based on pictures alone — request a physical sample.

LEDGE CUT

Copper Point

STONE TYPE	Dolomite Limestone	
COLOR	30% various shades of gray, 70% various shades of white, cream and buff. Stone is sourced from two quarries.	
HEIGHT	1-4 inches (average of 3 inches)	
LENGTH	6-20 inches (average of 12 inches)	
NOMINAL THICKNESS	THIN VENEER	.5-1.5 inches
	FULL BED	3.5-4.5 inches
APPROX. COVERAGE	THIN VENEER	10-14 pounds/square foot
	FULL BED	35-40 square feet/ton
CORNER RETURNS	Varies in length of return, minimum of 3 inches	

TYPICAL PIECE

Rough-cut stone with a natural cleft top and bottom. Face of stone is a mixture of split, bed and seam face. Ends are random and not trimmed. Backs are sawn for thin veneer. Full-bed depth is split to thickness.

Hold it before you decide.

Request a physical sample of this blend and cut.

(616) 835-5289 · [THESTONEMILLINC.COM/CONTACT](https://www.thestonemillinc.com/contact)

THE STONE MILL INC.

20315 W. Edgar Rd, Howard City, Michigan 49329
(616) 835-5289 · [thestonemillinc.com](https://www.thestonemillinc.com)

COPPER POINT · LEDGE

Issued August 2026 · supersedes all prior sheets
Data subject to natural variation



QUARRY ORIGIN

Quarried in Onaway, Manistique and Sault Ste. Marie, Michigan. Cut and processed at our mill in Howard City, Michigan.

APPLICATION

Exterior and interior veneer. Available in thin veneer with corners. This blend is not produced in full-bed depth.

ALSO CUT AS

Grand Sable Field Ledge
Grand Sable Ledge

Please note: the beauty of natural stone is in its variety and range of color. Small pictures and samples are not fully representative. We do not recommend making a selection based on pictures alone — request a physical sample.

ASHLAR CUT

Grand Sable

STONE TYPE	90% Dolomite Limestone 10% Soo Lock Sandstone	
COLOR	55% various shades of gray, 35% various shades of white, cream and buff, 10% various shades of red, with a range of molted to solid in color. Stone is sourced from three quarries.	
HEIGHT	4-8 inches (average of 6 inches)	
LENGTH	6-20 inches (average of 12 inches)	
NOMINAL THICKNESS	THIN VENEER	.5-1.5 inches
APPROX. COVERAGE	THIN VENEER	10-14 pounds/square foot
CORNER RETURNS	Varies in length of return, minimum of 3 inches	

TYPICAL PIECE

Rough-cut stone with a natural cleft top and bottom. Face of stone is a mixture of split and seam face. Ends are random and not trimmed. Backs are sawn for thin veneer. Not available in full-bed depth.

Hold it before you decide.

Request a physical sample of this blend and cut.

(616) 835-5289 · [THESTONEMILLINC.COM/CONTACT](https://www.thestonemillinc.com/contact)

THE STONE MILL INC.

20315 W. Edgar Rd, Howard City, Michigan 49329
(616) 835-5289 · [thestonemillinc.com](https://www.thestonemillinc.com)

GRAND SABLE · ASHLAR

Issued August 2026 · supersedes all prior sheets
Data subject to natural variation



QUARRY ORIGIN

Quarried in Onaway, Manistique and Sault Ste. Marie, Michigan. Cut and processed at our mill in Howard City, Michigan.

APPLICATION

Exterior and interior veneer. Available in thin veneer with corners. This blend is not produced in full-bed depth.

ALSO CUT AS

Grand Sable Ashlar
Grand Sable Ledge

Please note: the beauty of natural stone is in its variety and range of color. Small pictures and samples are not fully representative. We do not recommend making a selection based on pictures alone — request a physical sample.

FIELD LEDGE CUT

Grand Sable

STONE TYPE	90% Dolomite Limestone 10% Soo Lock Sandstone	
COLOR	55% various shades of gray, 35% various shades of white, cream and buff, 10% various shades of red, with a range of molted to solid in color. Stone is sourced from three quarries.	
HEIGHT	1-8 inches (average of 6 inches)	
LENGTH	6-20 inches (average of 12 inches)	
NOMINAL THICKNESS	THIN VENEER	.5-1.5 inches
APPROX. COVERAGE	THIN VENEER	10-14 pounds/square foot
CORNER RETURNS	Varies in length of return, minimum of 3 inches	

TYPICAL PIECE

Rough-cut stone with a natural cleft top and bottom. Face of stone is a mixture of split and seam face. Approximately 20% irregular (non-linear) shapes. Ends are random and not trimmed. Backs are sawn for thin veneer. Not available in full-bed depth.

Hold it before you decide.

Request a physical sample of this blend and cut.

(616) 835-5289 · [THESTONEMILLINC.COM/CONTACT](https://www.thestonemillinc.com/contact)

THE STONE MILL INC.

20315 W. Edgar Rd, Howard City, Michigan 49329
(616) 835-5289 · [thestonemillinc.com](https://www.thestonemillinc.com)

GRAND SABLE · FIELD LEDGE

Issued August 2026 · supersedes all prior sheets
Data subject to natural variation



QUARRY ORIGIN

Quarried in Onaway, Manistique and Sault Ste. Marie, Michigan. Cut and processed at our mill in Howard City, Michigan.

APPLICATION

Exterior and interior veneer. Available in thin veneer with corners. This blend is not produced in full-bed depth.

ALSO CUT AS

Grand Sable Ashlar
Grand Sable Field Ledge

Please note: the beauty of natural stone is in its variety and range of color. Small pictures and samples are not fully representative. We do not recommend making a selection based on pictures alone — request a physical sample.

LEDGE CUT

Grand Sable

STONE TYPE	90% Dolomite Limestone 10% Soo Lock Sandstone	
COLOR	55% various shades of gray, 35% various shades of white, cream and buff, 10% various shades of red, with a range of molted to solid in color. Stone is sourced from three quarries.	
HEIGHT	1-4 inches (average of 3 inches)	
LENGTH	6-20 inches (average of 12 inches)	
NOMINAL THICKNESS	THIN VENEER	.5-1.5 inches
APPROX. COVERAGE	THIN VENEER	10-14 pounds/square foot
CORNER RETURNS	Varies in length of return, minimum of 3 inches	

TYPICAL PIECE

Rough-cut stone with a natural cleft top and bottom. Face of stone is a mixture of split and seam face. Ends are random and not trimmed. Backs are sawn for thin veneer. Not available in full-bed depth.

Hold it before you decide.

Request a physical sample of this blend and cut.

(616) 835-5289 · [THESTONEMILLINC.COM/CONTACT](https://www.thestonemillinc.com/contact)

THE STONE MILL INC.

20315 W. Edgar Rd, Howard City, Michigan 49329
(616) 835-5289 · [thestonemillinc.com](https://www.thestonemillinc.com)

GRAND SABLE · LEDGE

Issued August 2026 · supersedes all prior sheets
Data subject to natural variation



QUARRY ORIGIN

Quarried in Onaway and Manistique, Michigan. Cut and processed at our mill in Howard City, Michigan.

APPLICATION

Exterior and interior veneer. Available in thin veneer and full-bed depth, with corners.

ALSO CUT AS

Great Lakes Ledge

Please note: the beauty of natural stone is in its variety and range of color. Small pictures and samples are not fully representative. We do not recommend making a selection based on pictures alone — request a physical sample.

ASHLAR CUT

Great Lakes

STONE TYPE	Dolomite Limestone		
COLOR	60% various shades of gray, 40% white to cream with various shades of buff. Stone is sourced from two quarries.		
HEIGHT	4-10 inches (average of 6 inches)		
LENGTH	6-20 inches (average of 12 inches)		
NOMINAL THICKNESS	THIN VENEER	.5-1.5 inches	
	FULL BED	3.5-4.5 inches	
APPROX. COVERAGE	THIN VENEER	10-14 pounds/square foot	
	FULL BED	35-40 square feet/ton	
CORNER RETURNS	Varies in length of return, minimum of 3 inches		

TYPICAL PIECE

Rough-cut stone with a natural cleft top and bottom. Face of stone is a mixture of split, seam and bed face. Ends are random and not trimmed. Backs are sawn for thin veneer. Full-bed will be split to range of depth.

Hold it before you decide.

Request a physical sample of this blend and cut.

(616) 835-5289 · [THESTONEMILLINC.COM/CONTACT](https://www.thestonemillinc.com/contact)

THE STONE MILL INC.

20315 W. Edgar Rd, Howard City, Michigan 49329
(616) 835-5289 · [thestonemillinc.com](https://www.thestonemillinc.com)

GREAT LAKES · ASHLAR

Issued August 2026 · supersedes all prior sheets
Data subject to natural variation



QUARRY ORIGIN

Quarried in Onaway and Manistique, Michigan. Cut and processed at our mill in Howard City, Michigan.

APPLICATION

Exterior and interior veneer. Available in thin veneer and full-bed depth, with corners.

ALSO CUT AS

Great Lakes Ashlar

Please note: the beauty of natural stone is in its variety and range of color. Small pictures and samples are not fully representative. We do not recommend making a selection based on pictures alone — request a physical sample.

LEDGE CUT

Great Lakes

STONE TYPE	Dolomite Limestone		
COLOR	60% various shades of gray, 40% white to cream color with various shades of buff. Stone is sourced from two quarries.		
HEIGHT	1-4 inches (average of 3 inches)		
LENGTH	6-20 inches (average of 12 inches)		
NOMINAL THICKNESS	THIN VENEER	.5-1.5 inches	
	FULL BED	3.5-4.5 inches	
APPROX. COVERAGE	THIN VENEER	10-14 pounds/square foot	
	FULL BED	35-40 square feet/ton	
CORNER RETURNS	Varies in length of return, minimum of 3 inches		

TYPICAL PIECE

Rough-cut stone with a natural cleft top and bottom. Face of stone is a mixture of split and seam face. Ends are random and not trimmed. Backs are sawn for thin veneer. Full-bed will be split to range of depth.

Hold it before you decide.

Request a physical sample of this blend and cut.

(616) 835-5289 · [THESTONEMILLINC.COM/CONTACT](https://www.thestonemillinc.com/contact)

THE STONE MILL INC.

20315 W. Edgar Rd, Howard City, Michigan 49329
(616) 835-5289 · [thestonemillinc.com](https://www.thestonemillinc.com)

GREAT LAKES · LEDGE

Issued August 2026 · supersedes all prior sheets
Data subject to natural variation



QUARRY ORIGIN

Quarried in Manistique and Alpena, Michigan. Cut and processed at our mill in Howard City, Michigan.

APPLICATION

Exterior and interior veneer. Available in thin veneer and full-bed depth, with corners.

ALSO CUT AS

Hemlock Ledge

Please note: the beauty of natural stone is in its variety and range of color. Small pictures and samples are not fully representative. We do not recommend making a selection based on pictures alone — request a physical sample.

ASHLAR CUT

Hemlock

STONE TYPE	Dolomite Limestone		
COLOR	70% various shades of white to cream with some buff, 30% various shades of gray. Stone is sourced from two quarries.		
HEIGHT	4-8 inches (average of 6 inches)		
LENGTH	6-20 inches (average of 12 inches)		
NOMINAL THICKNESS	THIN VENEER	.5-1.5 inches	
	FULL BED	3.5-4.5 inches	
APPROX. COVERAGE	THIN VENEER	10-14 pounds/square foot	
	FULL BED	35-40 square feet/ton	
CORNER RETURNS	Varies in length of return, minimum of 3 inches		

TYPICAL PIECE

Rough-cut stone with a natural cleft top and bottom. Face of stone is a mixture of split, bed and seam face. Ends are random and not trimmed. Backs are sawn for thin veneer. Full-bed depth is split to thickness.

Hold it before you decide.

Request a physical sample of this blend and cut.

(616) 835-5289 · [THESTONEMILLINC.COM/CONTACT](https://www.thestonemillinc.com/contact)

THE STONE MILL INC.

20315 W. Edgar Rd, Howard City, Michigan 49329
(616) 835-5289 · [thestonemillinc.com](https://www.thestonemillinc.com)

HEMLOCK · ASHLAR

Issued August 2026 · supersedes all prior sheets
Data subject to natural variation



QUARRY ORIGIN

Quarried in Manistique and Alpena, Michigan. Cut and processed at our mill in Howard City, Michigan.

APPLICATION

Exterior and interior veneer. Available in thin veneer and full-bed depth, with corners.

ALSO CUT AS

Hemlock Ashlar

Please note: the beauty of natural stone is in its variety and range of color. Small pictures and samples are not fully representative. We do not recommend making a selection based on pictures alone — request a physical sample.

LEDGE CUT

Hemlock

STONE TYPE	Dolomite Limestone	
COLOR	70% various shades of white to cream with some buff, 30% various shades of gray. Stone is sourced from two quarries.	
HEIGHT	1-4 inches (average of 3 inches)	
LENGTH	6-20 inches (average of 12 inches)	
NOMINAL THICKNESS	THIN VENEER	.5-1.5 inches
	FULL BED	3.5-4.5 inches
APPROX. COVERAGE	THIN VENEER	10-14 pounds/square foot
	FULL BED	35-40 square feet/ton
CORNER RETURNS	Varies in length of return, minimum of 3 inches	

TYPICAL PIECE

Rough-cut stone with a natural cleft top and bottom. Face of stone is a mixture of split, bed and seam face. Ends are random and not trimmed. Backs are sawn for thin veneer. Full-bed depth is split to thickness.

Hold it before you decide.

Request a physical sample of this blend and cut.

(616) 835-5289 · [THESTONEMILLINC.COM/CONTACT](https://www.thestonemillinc.com/contact)

THE STONE MILL INC.

20315 W. Edgar Rd, Howard City, Michigan 49329
(616) 835-5289 · [thestonemillinc.com](https://www.thestonemillinc.com)

HEMLOCK · LEDGE

Issued August 2026 · supersedes all prior sheets
Data subject to natural variation



QUARRY ORIGIN

Quarried in Manistique, Michigan. Cut and processed at our mill in Howard City, Michigan.

APPLICATION

Exterior and interior veneer. Available in thin veneer and full-bed depth, with corners.

Please note: the beauty of natural stone is in its variety and range of color. Small pictures and samples are not fully representative. We do not recommend making a selection based on pictures alone — request a physical sample.

CASTLE CUT

Hiawatha

STONE TYPE	Dolomite Limestone	
COLOR	Various shades of white to cream with ranges of buff	
HEIGHT	4-14 inches (average of 8 inches)	
LENGTH	6-20 inches (average of 12 inches)	
NOMINAL THICKNESS	THIN VENEER	.5-1.5 inches
	FULL BED	3.5-4.5 inches
APPROX. COVERAGE	THIN VENEER	10-14 pounds/square foot
	FULL BED	35-40 square feet/ton
CORNER RETURNS	Varies in length of return, minimum of 3 inches	

TYPICAL PIECE

Rough-cut stone with a natural cleft top and bottom. Face of stone is a mixture of 20% split and 80% bed face. Ends are random and not trimmed. Backs are sawn for thin veneer. Full-bed will be split to range of depth.

Hold it before you decide.

Request a physical sample of this blend and cut.

(616) 835-5289 · [THESTONEMILLINC.COM/CONTACT](https://www.thestonemillinc.com/contact)

THE STONE MILL INC.

20315 W. Edgar Rd, Howard City, Michigan 49329
(616) 835-5289 · [thestonemillinc.com](https://www.thestonemillinc.com)

HIAWATHA · CASTLE

Issued August 2026 · supersedes all prior sheets
Data subject to natural variation



ASHLAR CUT

Huron

STONE TYPE 90% Dolomite limestone, 10% Soo Lock Sandstone

COLOR 90% various shades of gray and buff, 10% various shades of red, with a range of molted to solid in color

HEIGHT 4-8 inches (average of 6 inches)

LENGTH 6-20 inches (average of 12 inches)

NOMINAL THICKNESS **THIN VENEER** .5-1.5 inches

APPROX. COVERAGE **THIN VENEER** 10-14 pounds/square foot

CORNER RETURNS Varies in length of return, minimum of 3 inches

TYPICAL PIECE

Rough-cut stone with a natural cleft top and bottom. Face of stone is a mixture of split and seam face. Ends are random and not trimmed. Backs are sawn for thin veneer. Not available in full-bed depth.

QUARRY ORIGIN

Quarried in Onaway and Sault Ste. Marie, Michigan. Cut and processed at our mill in Howard City, Michigan.

APPLICATION

Exterior and interior veneer. Available in thin veneer with corners. This blend is not produced in full-bed depth.

ALSO CUT AS

Huron Field Ledge
Huron Ledge

Please note: the beauty of natural stone is in its variety and range of color. Small pictures and samples are not fully representative. We do not recommend making a selection based on pictures alone — request a physical sample.

Hold it before you decide.

Request a physical sample of this blend and cut.

(616) 835-5289 · [THESTONEMILLINC.COM/CONTACT](https://www.thestonemillinc.com/contact)

THE STONE MILL INC.

20315 W. Edgar Rd, Howard City, Michigan 49329
(616) 835-5289 · [thestonemillinc.com](https://www.thestonemillinc.com)

HURON · ASHLAR

Issued August 2026 · supersedes all prior sheets
Data subject to natural variation



QUARRY ORIGIN

Quarried in Onaway and Sault Ste. Marie, Michigan. Cut and processed at our mill in Howard City, Michigan.

APPLICATION

Exterior and interior veneer. Available in thin veneer with corners. This blend is not produced in full-bed depth.

ALSO CUT AS

Huron Ashlar
Huron Ledge

Please note: the beauty of natural stone is in its variety and range of color. Small pictures and samples are not fully representative. We do not recommend making a selection based on pictures alone — request a physical sample.

FIELD LEDGE CUT

Huron

STONE TYPE	90% Dolomite limestone, 10% Soo Lock Sandstone		
COLOR	90% various shades of gray and buff, 10% various shades of red, with a range of molted to solid in color		
HEIGHT	1-8 inches (average of 5 inches)		
LENGTH	6-20 inches (average of 12 inches)		
NOMINAL THICKNESS	THIN VENEER	.5-1.5 inches	
APPROX. COVERAGE	THIN VENEER	10-14 pounds/square foot	
CORNER RETURNS	Varies in length of return, minimum of 3 inches		

TYPICAL PIECE

Rough-cut stone with a natural cleft top and bottom. Face of stone is a mixture of split and seam face. Ends are random and not trimmed. Field Ledge will have approximately 10-20 percent in irregular (non-linear) shapes. Backs are sawn for thin veneer. Not available in full-bed depth.

Hold it before you decide.

Request a physical sample of this blend and cut.

(616) 835-5289 · [THESTONEMILLINC.COM/CONTACT](https://www.thestonemillinc.com/contact)

THE STONE MILL INC.

20315 W. Edgar Rd, Howard City, Michigan 49329
(616) 835-5289 · [thestonemillinc.com](https://www.thestonemillinc.com)

HURON · FIELD LEDGE

Issued August 2026 · supersedes all prior sheets
Data subject to natural variation



QUARRY ORIGIN

Quarried in Onaway and Sault Ste. Marie, Michigan. Cut and processed at our mill in Howard City, Michigan.

APPLICATION

Exterior and interior veneer. Available in thin veneer with corners. This blend is not produced in full-bed depth.

ALSO CUT AS

Huron Ashlar
Huron Field Ledge

Please note: the beauty of natural stone is in its variety and range of color. Small pictures and samples are not fully representative. We do not recommend making a selection based on pictures alone — request a physical sample.

LEDGE CUT

Huron

STONE TYPE	90% Dolomite limestone, 10% Soo Lock Sandstone		
COLOR	90% various shades of gray and buff, 10% various shades of red, with a range of molted to solid in color		
HEIGHT	1-4 inches (average of 3 inches)		
LENGTH	6-20 inches (average of 12 inches)		
NOMINAL THICKNESS	THIN VENEER	.5-1.5 inches	
APPROX. COVERAGE	THIN VENEER	10-14 pounds/square foot	
CORNER RETURNS	Varies in length of return, minimum of 3 inches		

TYPICAL PIECE

Rough-cut stone with a natural cleft top and bottom. Face of stone is a mixture of split and seam face. Ends are random and not trimmed. Backs are sawn for thin veneer. Not available in full-bed depth.

Hold it before you decide.

Request a physical sample of this blend and cut.

(616) 835-5289 · [THESTONEMILLINC.COM/CONTACT](https://www.thestonemillinc.com/contact)

THE STONE MILL INC.

20315 W. Edgar Rd, Howard City, Michigan 49329
(616) 835-5289 · [thestonemillinc.com](https://www.thestonemillinc.com)

HURON · LEDGE

Issued August 2026 · supersedes all prior sheets
Data subject to natural variation



QUARRY ORIGIN

Quarried in Onaway and Alpena, Michigan. Cut and processed at our mill in Howard City, Michigan.

APPLICATION

Exterior and interior veneer. Available in thin veneer and full-bed depth, with corners.

ALSO CUT AS

Iron Mountain Field Ledge

Please note: the beauty of natural stone is in its variety and range of color. Small pictures and samples are not fully representative. We do not recommend making a selection based on pictures alone — request a physical sample.

ASHLAR CUT

Iron Mountain

STONE TYPE	Dolomite Limestone	
COLOR	Various shades of gray with some buff. Stone sourced from two quarries	
HEIGHT	4-8 inches (average of 6 inches)	
LENGTH	6-20 inches (average of 12 inches)	
NOMINAL THICKNESS	THIN VENEER	.5-1.5 inches
	FULL BED	3.5-4.5 inches
APPROX. COVERAGE	THIN VENEER	10-14 pounds/square foot
	FULL BED	35-40 square feet/ton
CORNER RETURNS	Varies in length of return, minimum of 3 inches	

TYPICAL PIECE

Rough-cut stone with a natural cleft top and bottom. Face of stone is a mixture of split, bed and seam face. Ends are random and not trimmed. Backs are sawn for thin veneer. Full-bed depth is split to thickness.

Hold it before you decide.

Request a physical sample of this blend and cut.

(616) 835-5289 · [THESTONEMILLINC.COM/CONTACT](https://www.thestonemillinc.com/contact)

THE STONE MILL INC.

20315 W. Edgar Rd, Howard City, Michigan 49329
(616) 835-5289 · [thestonemillinc.com](https://www.thestonemillinc.com)

IRON MOUNTAIN · ASHLAR

Issued August 2026 · supersedes all prior sheets
Data subject to natural variation



QUARRY ORIGIN

Quarried in Onaway and Alpena, Michigan. Cut and processed at our mill in Howard City, Michigan.

APPLICATION

Exterior and interior veneer. Available in thin veneer and full-bed depth, with corners.

ALSO CUT AS

Iron Mountain Ashlar

Please note: the beauty of natural stone is in its variety and range of color. Small pictures and samples are not fully representative. We do not recommend making a selection based on pictures alone — request a physical sample.

FIELD LEDGE CUT

Iron Mountain

STONE TYPE	Dolomite Limestone	
COLOR	Various shades of gray with some buff. Stone is sourced from two quarries.	
HEIGHT	1-4 inches (average of 3 inches)	
LENGTH	6-20 inches (average of 12 inches)	
NOMINAL THICKNESS	THIN VENEER	.5-1.5 inches
	FULL BED	3.5-4.5 inches
APPROX. COVERAGE	THIN VENEER	10-14 pounds/square foot
	FULL BED	35-40 square foot/ton
CORNER RETURNS	Varies in length of return, minimum of 3 inches	

TYPICAL PIECE

Rough-cut stone with a natural cleft top and bottom. Face of stone is a mixture of split, bed and seam face. Ends are random and not trimmed. Approximately 20% irregular (non-linear) shapes. Backs are sawn for thin veneer. Full-bed depth is split to thickness.

Hold it before you decide.

Request a physical sample of this blend and cut.

(616) 835-5289 · [THESTONEMILLINC.COM/CONTACT](https://www.thestonemillinc.com/contact)

THE STONE MILL INC.

20315 W. Edgar Rd, Howard City, Michigan 49329
(616) 835-5289 · [thestonemillinc.com](https://www.thestonemillinc.com)

IRON MOUNTAIN · FIELD LEDGE

Issued August 2026 · supersedes all prior sheets
Data subject to natural variation



QUARRY ORIGIN

Quarried in Ionia, Michigan. Cut and processed at our mill in Howard City, Michigan.

APPLICATION

Exterior and interior veneer. Available in thin veneer and full-bed depth, with corners.

Please note: the beauty of natural stone is in its variety and range of color. Small pictures and samples are not fully representative. We do not recommend making a selection based on pictures alone — request a physical sample.

NATURAL MICHIGAN STONE VENEER

Michigan Cobble

STONE TYPE	Various hard stone, granites and basalts	
COLOR	Full color range, too many variations to describe	
HEIGHT	Refer to length	
LENGTH	Random mosaic type stone. Diameter is 6-12 inches (average of 8 inches)	
NOMINAL THICKNESS	THIN VENEER	1-2 inches
	FULL BED	3.5-4.5 inches
APPROX. COVERAGE	THIN VENEER	14+ pounds/square foot
	FULL BED	35-40 square feet/ton
CORNER RETURNS	Varies in length of return, minimum of 3 inches	

TYPICAL PIECE

Smooth rounded faces to the stone with full range of color. Full-bed depth stone would have a range in size of 4-6 inches. Up to 12 inch face in the thin veneer.

Hold it before you decide.

Request a physical sample of this blend and cut.

(616) 835-5289 · [THESTONEMILLINC.COM/CONTACT](https://www.thestonemillinc.com/contact)

THE STONE MILL INC.

20315 W. Edgar Rd, Howard City, Michigan 49329
(616) 835-5289 · [thestonemillinc.com](https://www.thestonemillinc.com)

MICHIGAN COBBLE

Issued August 2026 · supersedes all prior sheets
Data subject to natural variation



QUARRY ORIGIN

Quarried in Ionia, Michigan. Cut and processed at our mill in Howard City, Michigan.

APPLICATION

Exterior and interior veneer. Available in thin veneer and full-bed depth, with corners.

Please note: the beauty of natural stone is in its variety and range of color. Small pictures and samples are not fully representative. We do not recommend making a selection based on pictures alone — request a physical sample.

NATURAL MICHIGAN STONE VENEER

Michigan Split Granite

STONE TYPE	Various hard stone, granites and basalts	
COLOR	Full color range, too many variations to describe	
HEIGHT	Refer to length	
LENGTH	Random mosaic type stone. Diameter is 6-12 inches (average of 8 inches)	
NOMINAL THICKNESS	THIN VENEER	1-2 inches
	FULL BED	4.5-6 inches
APPROX. COVERAGE	THIN VENEER	14+ pounds/square foot
	FULL BED	35-40 square feet/ton
CORNER RETURNS	Varies in length of return, minimum of 3 inches	

TYPICAL PIECE

The stone is hand-split. The split side is exposed with a full range of color.

Hold it before you decide.

Request a physical sample of this blend and cut.

(616) 835-5289 · [THESTONEMILLINC.COM/CONTACT](https://www.thestonemillinc.com/contact)

THE STONE MILL INC.

20315 W. Edgar Rd, Howard City, Michigan 49329
(616) 835-5289 · [thestonemillinc.com](https://www.thestonemillinc.com)

MICHIGAN SPLIT GRANITE

Issued August 2026 · supersedes all prior sheets
Data subject to natural variation



QUARRY ORIGIN

Quarried in Manistique, Michigan. Cut and processed at our mill in Howard City, Michigan.

APPLICATION

Exterior and interior veneer. Available in thin veneer and full-bed depth, with corners.

Please note: the beauty of natural stone is in its variety and range of color. Small pictures and samples are not fully representative. We do not recommend making a selection based on pictures alone — request a physical sample.

ASHLAR CUT

Old Mission

STONE TYPE	Dolomite Limestone	
COLOR	Various shades of white, cream and buff	
HEIGHT	4-10 inches (average of 6 inches)	
LENGTH	6-20 inches (average of 12 inches)	
NOMINAL THICKNESS	THIN VENEER	.5-1.5 inches
	FULL BED	3.5-4.5 inches
APPROX. COVERAGE	THIN VENEER	10-14 pounds/square foot
	FULL BED	35-40 square feet/ton
CORNER RETURNS	Varies in length of return, minimum of 3 inches	

TYPICAL PIECE

Rough-cut stone with a natural cleft top and bottom. Face of stone is a mixture of split, bed and seam face. Ends are random and not trimmed. Backs are sawn for thin veneer. Full bed depth is split to thickness.

Hold it before you decide.

Request a physical sample of this blend and cut.

(616) 835-5289 · [THESTONEMILLINC.COM/CONTACT](https://www.thestonemillinc.com/contact)

THE STONE MILL INC.

20315 W. Edgar Rd, Howard City, Michigan 49329
(616) 835-5289 · [thestonemillinc.com](https://www.thestonemillinc.com)

OLD MISSION · ASHLAR

Issued August 2026 · supersedes all prior sheets
Data subject to natural variation



QUARRY ORIGIN

Quarried in Onaway, Michigan. Cut and processed at our mill in Howard City, Michigan.

APPLICATION

Exterior and interior veneer. Available in thin veneer and full-bed depth, with corners.

Please note: the beauty of natural stone is in its variety and range of color. Small pictures and samples are not fully representative. We do not recommend making a selection based on pictures alone — request a physical sample.

CASTLE CUT

Saint Clare

STONE TYPE	Dolomite Limestone	
COLOR	Various shades of gray with some shades of buff	
HEIGHT	4-14 inches (average of 8 inches)	
LENGTH	6-20 inches (average of 12 inches)	
NOMINAL THICKNESS	THIN VENEER	.5-1.5 inches
	FULL BED	3.5-4.5 inches
APPROX. COVERAGE	THIN VENEER	10-14 pounds/square foot
	FULL BED	35-40 square feet/ton
CORNER RETURNS	Varies in length of return, minimum of 3 inches	

TYPICAL PIECE

Rough-cut stone with a natural cleft top and bottom. Face of stone is a mixture of 20% split and 80% bed face. Ends are random and not trimmed. Backs are sawn for thin veneer. Full-bed will be split to range of depth.

Hold it before you decide.

Request a physical sample of this blend and cut.

(616) 835-5289 · [THESTONEMILLINC.COM/CONTACT](https://www.thestonemillinc.com/contact)

THE STONE MILL INC.

20315 W. Edgar Rd, Howard City, Michigan 49329
(616) 835-5289 · [thestonemillinc.com](https://www.thestonemillinc.com)

SAINT CLARE · CASTLE

Issued August 2026 · supersedes all prior sheets
Data subject to natural variation



QUARRY ORIGIN

Quarried in Manistique, Michigan. Cut and processed at our mill in Howard City, Michigan.

APPLICATION

Exterior and interior veneer. Available in thin veneer and full-bed depth, with corners.

ALSO CUT AS

Silver Lake Ledge

Please note: the beauty of natural stone is in its variety and range of color. Small pictures and samples are not fully representative. We do not recommend making a selection based on pictures alone — request a physical sample.

ASHLAR CUT

Silver Lake

STONE TYPE	Dolomite Limestone	
COLOR	Various shade of white to cream	
HEIGHT	4-8 inches (average of 6 inches)	
LENGTH	6-20 inches (average of 12 inches)	
NOMINAL THICKNESS	THIN VENEER	.5-1.5 inches
	FULL BED	3.5-4.5 inches
APPROX. COVERAGE	THIN VENEER	10-14 pounds/square foot
	FULL BED	35-40 square feet/ton
CORNER RETURNS	Varies in length of return, minimum of 3 inches	

TYPICAL PIECE

Rough-cut stone with a natural cleft top and bottom. Face of stone is 100% split faced. Ends are random and not trimmed. Backs are sawn for thin veneer. Full-bed depth is split to thickness.

Hold it before you decide.

Request a physical sample of this blend and cut.

(616) 835-5289 · [THESTONEMILLINC.COM/CONTACT](https://www.thestonemillinc.com/contact)

THE STONE MILL INC.

20315 W. Edgar Rd, Howard City, Michigan 49329
(616) 835-5289 · [thestonemillinc.com](https://www.thestonemillinc.com)

SILVER LAKE · ASHLAR

Issued August 2026 · supersedes all prior sheets
Data subject to natural variation



QUARRY ORIGIN

Quarried in Manistique, Michigan. Cut and processed at our mill in Howard City, Michigan.

APPLICATION

Exterior and interior veneer. Available in thin veneer and full-bed depth, with corners.

ALSO CUT AS

Silver Lake Ashlar

Please note: the beauty of natural stone is in its variety and range of color. Small pictures and samples are not fully representative. We do not recommend making a selection based on pictures alone — request a physical sample.

LEDGE CUT

Silver Lake

STONE TYPE	Dolomite Limestone	
COLOR	Various shade of white to cream	
HEIGHT	1-4 inches (average of 3 inches)	
LENGTH	6-20 inches (average of 12 inches)	
NOMINAL THICKNESS	THIN VENEER	.5-1.5 inches
	FULL BED	3.5-4.5 inches
APPROX. COVERAGE	THIN VENEER	10-14 pounds/square foot
	FULL BED	35-40 square feet/ton
CORNER RETURNS	Varies in length of return, minimum of 3 inches	

TYPICAL PIECE

Rough-cut stone with a natural cleft top and bottom. Face of stone is 100% split faced. Ends are random and not trimmed. Backs are sawn for thin veneer. Full-bed depth is split to thickness.

Hold it before you decide.

Request a physical sample of this blend and cut.

(616) 835-5289 · [THESTONEMILLINC.COM/CONTACT](https://www.thestonemillinc.com/contact)

THE STONE MILL INC.

20315 W. Edgar Rd, Howard City, Michigan 49329
(616) 835-5289 · [thestonemillinc.com](https://www.thestonemillinc.com)

SILVER LAKE · LEDGE

Issued August 2026 · supersedes all prior sheets
Data subject to natural variation



QUARRY ORIGIN

Quarried in Onaway, Michigan. Cut and processed at our mill in Howard City, Michigan.

APPLICATION

Exterior and interior veneer. Available in thin veneer and full-bed depth, with corners.

Please note: the beauty of natural stone is in its variety and range of color. Small pictures and samples are not fully representative. We do not recommend making a selection based on pictures alone — request a physical sample.

COBBLE CUT

Wolf Creek

STONE TYPE	Dolomite Limestone	
COLOR	Various shades of gray with some warmer tones of buff and occasional red tints.	
HEIGHT	Refer to length	
LENGTH	Mosaic pattern stone. Diameter is 6-12 inches.	
NOMINAL THICKNESS	THIN VENEER	.5-1.5 inches
	FULL BED	3.5-4.5 inches
APPROX. COVERAGE	THIN VENEER	10-14 pounds/square foot
	FULL BED	35-40 square foot/ton
CORNER RETURNS	Varies in length of return, minimum of 3 inches	

TYPICAL PIECE

Predominately bed-face material with naturally irregular shapes, as it was pulled from the ground. Backs are sawn for thin veneer. The full veneer is hand-selected for thickness.

Hold it before you decide.

Request a physical sample of this blend and cut.

(616) 835-5289 · [THESTONEMILLINC.COM/CONTACT](https://www.thestonemillinc.com/contact)

THE STONE MILL INC.

20315 W. Edgar Rd, Howard City, Michigan 49329
(616) 835-5289 · [thestonemillinc.com](https://www.thestonemillinc.com)

WOLF CREEK · COBBLE

Issued August 2026 · supersedes all prior sheets
Data subject to natural variation